

CIVIC TYPE-R SPECIFICATION

HONDA

| SPECIFICATIONS & FEATURES | Type R |
|---|--|
| | 6MT |
| ENGINE | |
| Type | 2.0L VTEC TURBO DOHC Single-Scroll Turbo and Electronic Wastegate |
| Displacement (cm ³) | 1 996 |
| Fuel supply system | Direct Injection PGM-FI |
| Compression ratio | 9.8 |
| Bore & stroke (mm) | 86.0 x 85.9 |
| CO2 emission (g/km) | 198 |
| Recommended Fuel Type | Unleaded petrol (95) |
| Engine Start System | Start / Stop Button |
| PERFORMANCE | |
| Engine Maximum Power (kW @ r/min) | 235 / 6500 |
| Engine Maximum Torque (Nm @ r/min) | 420 / 2600-4000 |
| Acceleration (0-100km/h) | 5.5 |
| Maximum speed (km/h) | 272 |
| Fuel Consumption: Combined (l/100km) | 8.4 |
| TRANSMISSION | |
| Drive Wheels | Front |
| Manual Transmission | 6-Speed Manual |
| Rev-Match Control System | • |
| Lightweight Single-mass Flywheel | • |
| SUSPENSION | |
| Front Axle | Dual Axis McPherson Strut |
| Rear Axle | Multi-Link |
| Stabiliser bars (front/rear) | • |
| Limited Slip Differential | Helical type |
| Adaptive Suspension System | • |
| STEERING | |
| Type | Dual-Pinion, Variable-Ratio Electric Power Steering (EPS) |
| Tilt and Telescopic Steering Wheel Adjustment | • |
| Turning radius at body (m) | 6.26 |
| BRAKES | |
| Front | 350mm (Brembo® 4-Piston Aluminium Brake Caliper) |
| Rear | 305mm Solid Rear Discs |
| Electric Parking Brake (EPB) with Automatic Brake Hold | • |
| WHEELS AND TYRES | |
| Wheel Size: Front & Rear | 19" X 9.5J Alloy - Type-R Matte Black |
| Tyre Size: Front & Rear | 265 / 30 R19 |
| Tyre Brand & Model | Michelin® Pilot® Sport 4S Tyres |
| Spare Wheel | Temporary Tyre Repair Kit |
| DIMENSIONS AND CAPACITIES | |
| Length x Width x Height Overall (mm) | 4594 x 1890 x 1407 |
| Wheelbase (mm) | 2735 |
| Ground Clearance | 121 |
| Track / Tread (mm): - Front | 1625 |
| - Rear | 1623 |
| Tare mass / Kerb mass (kg) | 1432 |
| Gross Vehicle Mass (GVM) (kg) | 1800 |
| Luggage space (l) - rear seat up (VDA method) | 410 |
| - rear seat down, load to roof (VDA method) | 1212 |
| Fuel tank capacity (l) | 47 |
| Seating capacity | 4 |
| EXTERIOR | |
| Styling | |
| Red Honda Badge with Type-R Emblem (Front/Rear) | • |
| Gloss Black Wing Spoiler with Die-cast Aluminium Stays | • |
| Center-Mounted, Triple Outlet Exhaust with Active Exhaust Valve | • |
| Aluminium Hood | • |
| Door Handles | Body colour |
| Gloss Black Side Sills | • |
| Exclusive Front & Rear Bumpers with Rear Diffuser | • |
| Lighting | |
| LED Headlights with Auto On/Off | • |
| Auto High Beam (AHB) | • |
| Automatic Headlight Adjuster | • |
| LED Brake & Tail Lights | • |

| INTERIOR COMFORT & CONVENIENCE | |
|---|--|
| Seating & Interior styling | |
| Seat type | Exclusively-Designed, High-Bolstered Sport Seats |
| Seat trim: - Front | Red / Black Suede and Double Red Stitching |
| - Rear | Black fabric |
| Height Adjustable Seats - Driver manual | • |
| Suede Wrapped Steering Wheel | • |
| Aluminium Gear Knob | • |
| Aluminium Sport Pedals | • |
| 60 / 40 Split Fold-down Rear Seats | • |
| Audio & Communications | |
| Infotainment System | 9" Touchscreen HMI |
| Multi-Information Display | 10.2" TFT |
| Bluetooth (Hands Free Telephone) | • |
| Wireless Apple CarPlay® & Android Auto® Compatibility | • |
| Built-in Navigation | • |
| USB Connectivity (Front) | x 2 |
| Wireless Charger (15W) | • |
| Sound System | 12 Speaker BOSE® System |
| Active Sound Control | • |
| Interior lighting | |
| Map lights & Cargo Light | • |
| Red Ambient Lighting | • |
| Red Illuminated Front Door Panels | • |
| Illuminated Vanity Mirrors - Driver & Passenger | • |
| Instruments and controls | |
| Air Conditioning | Dual Zone Automatic |
| 4-Mode Drive System (Comfort / Sport / +R / Individual) | • |
| Shift Indicator Lights | • |
| Rear View Mirror | Auto Dimming |
| Electric windows - All, Auto up/down (Front) | • |
| Exterior mirrors: - Electric Power Fold, Heated | • |
| - Integrated LED Indicators | • |
| Rain Sensing Windscreen Wipers | • |
| SAFETY | |
| Active Safety | |
| Anti-lock Braking System (ABS) | • |
| Electronic Brake-force Distribution (EBD) | • |
| Emergency Brake Assist (EBA) | • |
| Vehicle Stability Assist (VSA) | • |
| Hill Start Assist (HSA) | • |
| Agile Handling Assist (AHA) | • |
| Automatic Brake Hold | • |
| High-mounted brake light | • |
| Parking Sensors | Front & Rear |
| Rear-View camera | • |
| Passive Safety | |
| Advanced Compatibility Engineering (ACE) Body Structure | • |
| Airbags - Front SRS Driver & Passenger | • |
| Airbags - Front Knee SRS Driver & Passenger | • |
| Airbags - Side SRS Driver & Passenger | • |
| Airbags - Side Curtain SRS Front & Rear | • |
| Front Seatbelt Pretensioning System | • |
| Front & Rear ELR 3-Point Seat Belts | • |
| Seatbelt Warning Reminder (Front & Rear) | • |
| Height Adjustable Front Seatbelt Anchors | • |
| ISOFIX Child Seat Anchors - Rear | • |
| Advanced Driver Assist Systems (HONDA SENSING) | |
| Adaptive Cruise Control | • |
| Collision Mitigation Braking System | • |
| Forward Collision Warning | • |
| Lane Keep Assist System | • |
| Lane Departure Warning | • |
| Road Departure Mitigation | • |

| SECURITY | |
|---|---------------------|
| Alarm System | • |
| ECU Immobiliser System | • |
| Remote Central Locking with Selective Unlocking | • |
| Smart Keyless Entry and Start | • |
| Walk-Away Auto Locking | • |
| Privacy Glass - Rear | • |
| Removable Side Sliding Tonneau Cover | • |
| AFTER SALES | |
| Warranty | 5-Year / 200 000 km |
| Service plan | 5-Year / 90 000 km |
| Service intervals | 10 000 km |
| AA Roadside Assistance | 3-Year |

Indicated CO2 and fuel consumption figures quoted are obtained when testing the vehicle in line with the compulsory requirements of SANS 20083 and therefore may not necessarily be achieved under day to day driving conditions.

Actual fuel consumption figures may be influenced by a range of factors, including but not limited to vehicle maintenance, driving style and behaviour. Fuel consumption may be further affected by the environmental factors and conditions under which the vehicle is operated including altitude, road condition and traffic flow. The figures used in this guide should therefore be treated as indicative only.

Specifications may change at any time without prior notice. The models illustrated in this leaflet may show specifications for various markets and not specifically for Southern Africa. They may include optional equipment and accessories not fitted as standard. Not to be reproduced wholly or in part without written permission from Honda Motor Southern Africa (Pty) Ltd.