## Honda HR-V Specification



	1.5 COMFORT	4 F EVECUTIVE
SPECIFICATION & FEATURES		1.5 EXECUTIVE
ENGINE	CVT	CVT
Туре	Chain Driven DOHC i-VTEC	Chain Driven DOHC i-VTEC
Displacement (cm3)	1498	1498
Engine Maximum Power (kW @ r/min)	89 / 6600	89 / 6600
Engine Maximum Torque (Nm @ r/min)	145 / 4300	145 / 4300
Compression Ratio	10.6	10.6
Bore & Stroke (mm)	73 x 89.5	73 x 89.5
Fuel Consumption - Combined (I/100km)	6	6
CO2 Emmissions (g/km)	144	144
Fuel Type  Engine Start System	Unleaded petrol	Unleaded petrol
Engine Start System TRANSMISSION & STEERING	Start / Stop Button	Start / Stop Button
	CVT	CVT
Transmission Type Drive Wheels	Front Wheel Drive	Front Wheel Drive
Steering - Type	Electric Power Steering	Electric Power Steering
- Tilt / Telescopic Adjustment	• cc	•
- Turning Radius (m)	5.5	5.5
SUSPENSION & BRAKES	MaDhanna Chuid	Manhanan Chair
Suspension Type - Front	McPherson Strut	McPherson Strut
- Rear	Torsion Beam	Torsion Beam
Electric Parking Brake (EPB)	•	•
Brakes - Front	Disc	Disc
- Rear	Disc	Disc
WHEELS & TYRES		
Wheel Size - Front & Rear	17" X 7J	18" X 7.5J
Wheel Colour	Black / Alloy	Black
Tyre Size - Front & Rear	215/60R17 96H	225/50R18 95V
Spare Wheel - Wheel Size	215/60R17 96H	225/50R18 95V
Alloy Wheels	•	•
DIMENSIONS & CAPACITIES	10.15	
Length Overall (mm)	4345	4345
Length Overall (mm) Width Overall (mm	1790	1790
Length Overall (mm) Width Overall (mm Height Overall (mm)	1790 1590	1790 1590
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm)	1790 1590 2610	1790 1590 2610
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548	1790 1590 2610 1537
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front - Rear	1790 1590 2610 1548 1553	1790 1590 2610 1537 1543
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front - Rear Ground Clearance (mm)	1790 1590 2610 1548 1553 187	1790 1590 2610 1537 1543 187
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front - Rear Ground Clearance (mm) Tare Mass (kg)	1790 1590 2610 1548 1553 187	1790 1590 2610 1537 1543 187 1319
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740	1790 1590 2610 1537 1543 187 1319
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing	1790 1590 2610 1537 1543 187 1319 1740 No Towing
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing	1790 1590 2610 1537 1543 187 1319 1740 No Towing
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front - Rear Ground Clearance (mm) Tare Mass (kg) Max Permissable Weight (MPW) (kg) Towing Mass (Braked) (kg) Luggage Space (I) (VDA Method) - Rear Seat Down - Load to Window - Rear Seat Down - Load to Roof Fuel Tank Capacity (I) Max. Seating Capacity (Persons)  EXTERIOR  Styling Door Handles Shark Fin Roof Antenna Tailgate Spoiler Front Grille Colour Bumper Skid Garnish	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Silver
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front - Rear Ground Clearance (mm) Tare Mass (kg) Max Permissable Weight (MPW) (kg) Towing Mass (Braked) (kg) Luggage Space (I) (VDA Method) - Rear Seat Down - Load to Window - Rear Seat Down - Load to Roof Fuel Tank Capacity (I) Max. Seating Capacity (Persons)  EXTERIOR  Styling Door Handles Shark Fin Roof Antenna Tailgate Spoiler Front Grille Colour Bumper Skid Garnish Front & Rear Glass Roof	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Silver
Length Overall (mm) Width Overall (mm Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured Body Coloured Body Coloured Body Coloured	1790 1590 2610 1537 1543 187 1349 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Silver
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured Body Coloured  Black Black Black Black	1790 1590 2610 1537 1543 187 1349 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Silver •  LED
Length Overall (mm) Width Overall (mm) Height Overall (mm) Wheelbase (mm) Track / Tread (mm) - Front	1790 1590 2610 1548 1553 187 1273 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Body Coloured Body Coloured  Black Black Black Black Black Black Black LED Manual	1790 1590 2610 1537 1543 187 1543 187 1319 1740 No Towing 304 956 1274 40 5  Body Coloured Body Coloured Silver •  LED Manual

Indicated CO2 and fuel consumption figures quoted are obtained when testing the vehicle in line with the compulsory requirements of SANS 20083 and therefore may not necessarily be achieved under day to day driving conditions.

Actual fuel consumption figures may be influenced by a range of factors, including but not limited to vehicle maintenance, driving style and behaviour. Fuel consumption may be further affected by the environmental factors and conditions under which the vehicle is operated including altitude, road condition and traffic flow. The figures used in this guide should therefore be treated as indicative only.

Specifications may change at any time without prior notice. The models illustrated in this leaflet may show specifications for various markets and not specifically for Southern Africa. They may include optional equipment and accessories not fitted as standard. Not to be reproduced wholly or in part without written permission from Honda Motor Southern Africa (Pty) Ltd.

	1.5T COMFRT	1.5T EXECUTIVE
SPECIFICATION & FEATURES	CVT	CVT
COMFORT & CONVENIENCE		
Seating & Interior Styling		
Seat Split	60:40	60:40
Honda Magic Seats™	•	•
Seat Upholstery	Fabric	Leather
Steering Wheel & Gear Knob	Urethane	Leather
Interior Ambient Light	White	White
Pedal Type	Standard	Standard
Front Seat Adjustment: - Driver	Manual Adjustment	8-Way Power Adjustment
- Passenger	Manual Adjustment	Manual Adjustment
Armrests - Front	•	•
- Rear	•	•
Infotainment & Technology		
Infotainment System	8" Touchscreen	8" Touchscreen
Multi-Information Display	4.2" TFT	4.2" TFT
Bluetooth (Hands Free Telephone)	•	•
Apple CarPlay & Android Auto Compatibility	•	•
USB Connectivity (Front)	x 2	x 2
USB Charger (Rear)	-	x 2
Wireless Charger (15W)	-	•
Sound System	4 Speakers	8 Speakers
Instruments & Controls		
Air Conditioning	Automatic	Automatic
- With Rear Ventilation	•	•
- With Air Diffusion system	•	•
Drive Mode Select (ECON + NORMAL)	•	•
Rear View Mirror	Standard Day / Night	Half Frame Auto Dimming
Vanity Mirror (Driver & Passenger)	•	•
Side Mirrors: - Electric	•	•
- Colour	Body Coloured	Body Coloured
- Power Tilt	•	•
- Side Indicators	LED	LED
Electric Windows: - Front & Rear	•	•
- Auto Up/Down	Driver	All
Auto Wipers	-	•
Electric Tailgate with Hands-Free Assist	-	•
SAFETY		
Active Safety		
Vehicle Stability Assist (VSA)	•	•
Anti-lock Braking System (ABS)	•	•
Electronic Brake-Force Distribution (EBD)	•	•
Hill Start Assist (HSA)	•	•
Hill Descent Control (HDC)	•	•
Brake Hold	•	•
Rear View Camera	•	•
Parking Sensors	Rear	Rear
Passive Safety		
SRS Airbags - Dual Front & Side	•	•
SRS Airbags - Curtain	-	•
Seatbelt Pretensioning System - Front	•	•
Headlight & Key Reminder	•	•
Seatbelt Warning Reminder	Front & Rear	Front & Rear
ISOFIX Child Seat Anchors - Rear	•	•
Advanced Safety (HONDA SENSING)		
Adaptive Cruise Control	-	•
Collision Mitigation Braking System	-	•
Forward Collision Warning	-	•

-	•
-	•
-	•
•	•
•	•
•	•
•	•
•	•
•	•
5 Year / 200,000 Km	5 Year / 200,000 Km
4 Year / 60,000 Km	4 Year / 60,000 Km
15,000 Km	15,000 Km
3 Years	3 Years
	-  •  •  •  •  •  •  •  5 Year / 200,000 Km  4 Year / 60,000 Km